

## TENDER NOTICE FOR SUPPLY AND COMMISSIONING OF VIVEKANANDA CENTRE FOR OUTREACH PROGRAMME

Notice No.	:	MAKAUT-WB / CIVIL/ 016/2019 - 2020
Date of Issue	:	12-03-2020
Last Date of Submission	:	19-03-2020
Tender Fee	:	Rs. 500/-
Main Campus	:	NH - 12, Simhat, Haringhata, Nadia, Pin-741249, W.B.
Kolkata Office	:	BF - 142, Sector-I, Salt Lake City, Kolkata-700064

## **Information / Document(s) to be provided by the Bidder:**

1.	Contact information	:
	<ul><li>a) Name of the Bidder</li><li>b) Address</li></ul>	:
	c) Telephone No.	:
	d) Mobile No.	:
	e) Fax No.	:
	f) E-mail id (if any)	:
2.	Name(s) of the Propriet	or/Partners/Directors, etc. :
3.	Trade License No. (With	h Photocopy) :
4.	PAN	:
5.	GSTIN	:



- 6. Additional Document(s) / Information, if the party wants to include:
  - 1)
  - 2)
  - 3)
  - 4)
  - 5)
- 7. Details of Tender Fee deposited : a) Demand Draft No. & Date :
  - b) Name of the Bank & Branch :
  - c) Signature(s) with Official Stamp

### TENDER NOTICE FOR SUPPLY AND COMMISSIONING OF VIVEKANANDA CENTRE FOR OUTREACH PROGRAMME AT NH – 12, SIMHAT, HARINGHATA, NADIA, PIN - 741249

SEALED FINANCIAL BIDS ARE HEREBY INVITED FROM INTERESTED PARTIES FOR SUPPLY AND COMMISSIONING OF VIVEKANANDA CENTRE FOR OUTREACH PROGRAMME (AS PER SPECIMEN) AT NH-12, SIMHAT, HARINGHATA, NADIA, PIN-741249, W.B. :

## **DESCRIPTION OF WORK :**

PRC	POSED ESTIMATE FOR VIVEKANANDA CENTRE MAKAUT, WB, HARINGHA		-	AIN CAMPUS
SL NO	ITEM		UNIT	QUANTITY
1	PWD BUILDING SCHEDULE 2017 VIDEITTE2/PAGE - 1Earth work in excavation of foundation trenches or drains, in all sorts of soil (including mixed soil but excluding laterite or sandstone) including removing, spreading or stacking the spoils within a lead of 75 m. as directed. The item includes necessary trimming the sides of trenches, levelling, dressing and ramming the bottom, bailing out water as required complete. 	EM NO-		

Cum

49.580



2	ITEM NO-10/PAGE -5		
	Pre-Constructional Anti-termite measures:		
	(a) Anti termite treatment to bottom surface ( in case		
	of masonry foundation and basements) and the sides		
	(upto a height of 300 mm. from bottom) of the		
	excavation trenches with chemical emulsion by		
	admixing chloropyrofos emulsifiable concentrates (1% concentration) with water by weight at the rate of 5		
	Litres per sq. m. area. The work shall be carried out		
	as per specification described in 6.2.1. of code IS-		
	6313 (part -II) 1981. (Mode of measurment will be		
	the plan area of foundation treated.)		
	······································		
		Sq.M	19.562
	Verandah	Sq.M.	5.89
3	Item no-22/page no-34 (I)		
	Cement concrete with graded stone ballast (40 mm size excluding		
	shuttering)		
	In ground floor		
	(A) [Pakur Variety]	Cu.M	3.758
4	Item no-8/page no-15 Brick		
	work with 1st class bricks in cement mortar (1:6)		
	(a) In foundation and plinth	Cu.M.	10.720
5	Item no-1/Page no-47 25mm. thick		
	damp proof course with cement concrete with stone chips		
	(1:1.5:3) [with graded stone aggregate 10 mm nominal size] and		
	admixture of water proofing compound as per manufacturer's		
	specification followed by two coat ofpolymer based paint, (1st		
	coat after 4 to 5 days of concretelaying and 2 nd coat just before		
	brick masonry work) as directed (cost of water proofing compound		
	& polymer based paint to be paid separately).( Chequering not		
	required over		
	concrete or painted surface). [Note: - aterproofing as per item 9,		
	polymer based paint as per item 8 (a) of subhead C of Section (C).		
1		Sq.m	5.266



6	Item no-16/page no-16_ 125 mm. thick brick work with 1st class bricks in cement mortar (1:4) in ground floor.	Sq.M.	142.136
7	Item No-3/Page No-1Earthwork in filling in foundation trenches or plinthwith good earth, inlayers not exceeding 150 mm. including watering and ramming etc.layer by layer complete. ayment to be made on the basis ofmeasurement of finished quantity of work)(a) With earth obtained from excavation of foundation.		
		Cu.M.	7.86
8	Item No-4/Page No-24 Ordinary Cement concrete (mix 1:2:4) with graded stone chips (20 mm nominal size) excluding shuttering and inforcement, if any, in ground floor as per relevant IS codes. a) Pakur Variety	Cu.M.	1.277
9	Item No-40/Page No-42 Reinforcement for reinforced concrete work in all sorts of structures (a) For works in foundation and upto roof of ground floor/upto 4 m		
	including distribution bars, stirrups, binders etc initial straightening and		
	removal of loose rust (if necessary), cutting to requisite length, hooking and bending to correct shape, placing in proper position and binding with 16		
	gauge black annealed wire at every intersection, complete as per drawing		
	and direction. (i) Tor steel/Mild Steel II. Other than AIL/ TATA/RINL		
		M.T.	0.064



10	Item no-36/Page no-42 Hire and labour charges for shuttering with centering and necessary staging upto 4 m using approved stout props and thick hard wood planks of approved thickness with required bracing for concrete slabs, beams and columns, lintels curved or straight including fitting, fixing and striking out after completion of works (upto roof of ground floor) (When the height of a particular floor is more than 4 m the equivalent floor height shall be taken as 4 m and extra for works beyond the initial 4 m ht. shall be allowed under 12 (e) for every 4 m or part thereof) (a) 25 mm to 30 mm thick wooden shuttering as per decision & direction of Engineer-In-Charge. (Lintel )		
		Sq.M	15.381
		54.101	13.381
11	Item No-1/Page No-189 _ Plaster (to wall, floor, ceiling etc.) with sand and cement mortar including rounding off or chamfering corners as directed and raking out joints including throating, nosing and drip course, scaffolding/staging where necessary (Ground floor).[Excluding cost of chipping over concrete surface]	Sq.M	280.486
12	Item No-4/Page No-2 Filling in foundation or plinth by silver sand in layers not exceeding 150 mm as directed and consolidating the same by thorough saturation with water, ramming complete including the cost of supply of sand. (payment to be made on measurement of finished quantity)	Cu.M	16.024
13	Item No-1/Page No-14 Single Brick Flat Soling of picked jhama bricks including ramming and dressing bed to proper level and filling joints with local sand.( Flooring)	Sq.M.	105.030



14	Item No-4/Page No-24 Ordinary		
14	Cement concrete (mix 1:2:4) with graded stone chips (20 mm		
	nominal size) excluding shuttering and einforcement, if any, in		
	ground floor		
	as per relevant IS codes.		
	a) Pakur Variety (Floor PCC)		
		Cu.M.	10.503
15	Item No-5/Page No-242		
	Supplying concealed type heavy duty PVC headed aluminium		
	tower bolt for double leaf doors as per approved make and brand		
	as per direction of Engineer-in-Charge.		
	(c) 300 mm long	Each	4
16	Item No-15/Page No-192 Neat		
10	cement punning about 1.5mm thick in wall, dado, window sill,		
	floor etc.		
	NOTE:Cement 0.152 cu.m per100 sq.m.		
		Sq.M	17.513
		59.101	17.515
17			
	Item No-13/Page No-104 (a)		
	M.S.or W.I. Ornamental grill of approved design joints		
	continuously welded with M.S, W.I. Flats and bars of windows,		
	railing etc. fitted and fixed with necessary screws and lugs in		
	ground floor. (Add extra @ 1% for each addl. floor upto 4th floor		
	and @ 1.25% for each addl. floor above 4th floor)	1	
	(i) Grill weighing above 10 Kg./sq.mtr and up to 16 Kg./sq. mtr.	Qntl	0.5184



## **IMPORATANT INFORMATION FOR THE BIDDERS**

- **1.** The bids must be as per the specifications mentioned in the tender notice. Any deviation in item(s) will not be allowed and the bid will summarily be rejected.
- 2. The quotation should have a quotation reference number and date. The copy of tender should also be attached with the bid documents.
- **3.** The item rates, taxes and other charges should be separately mentioned in the quotation. In case the rates include tax, the rate (%) of the tax should be mentioned in the quotation. The University will provide DSIR Certificate against which all permissible tax relief is exempted. Vendors registered under composite GST Scheme must mention the same in the bid document.



- **4.** Bids will be opened by the Officials of MAKAUT, WB. Intending bidders may remain present if they desire so. If there is any deficiency in the necessary documents, the tender will summarily be rejected. During the evaluation process, the Committee may invite the bidders and seek clarification / information or additional documents or original hard copy of any of the documents already submitted and if those are not produced within the stipulated time frame, their bids will be liable for rejection.
- 5. Submission of false document / information by the bidder is strictly prohibited and will be liable for rejection of the tender.
- 6. Current valid Trade License (2019-2020) must be attached. In case the current valid license is not available, the vendor should attach the last trade license (2018-2019) and the same should be accompanied by the renewal application copy / copy of receipt against fees paid for renewal.
- 7. Any form of sub-tendering or sub-letting of the job in part or full is strictly prohibited.
- 8. Partial bidding may not be allowed by the University Authority.
- **9.** Being the lowest bidder in terms of rates are not only criteria to become eligible for the job. Selection of the eligible bidder will be done on the basis of credentials and past performances
- **10.** The University reserves the right to accept or reject any tender without showing any reason.

# **11.** Tender fees to be submitted in the form of demand draft favouring, 'MAKAUT, W.B.', payable at Kalyani.

 For any other necessary information, please contact the University Authority to the following address : Maulana Abul Kalam Azad University of Technology, West Bengal (Formerly known as: West Bengal University of Technology) NH – 12, Simhat, Haringhata, Nadia E-Mail id: *registrar@wbut.ac.in* Contact Person(s): Finance Officer, MAKAUT, WB Sd/-

Registrar, MAKAUT, WB